


Feedstuffs for **poultry**



Complete compound feed for the breeding of pullets

PŠ - flour

The feedstuff is intended for breeding chicks from 1 to 5 weeks of age, for light breeds it can also be fed up to 10 weeks of age, as long as the NS - GROVER breeding feed isn't used. The chicks are fed at will.

Nutritional value:

crude protein 20%, ME 12 MJ/kg,

Packaging: bulk, BB bags, 30/1

NS-JR - flour

The feedstuff is intended for the breeding of layers from 6 to 18 weeks of age for heavy breeds and from 11 to 18 weeks of age for light breeds. They are fed at will.

Nutritional value:

crude protein 15%, ME 11.4 MJ/kg

Packaging: bulk, BB bags, 30/1

NS-GROVER - flour

The feedstuff is intended for the breeding of layers from 5 to 10 weeks of age. The hens are fed at will.

Nutritional value:

crude protein 18.5%, ME 11.5 MJ/kg,

Packaging: bulk, jumbo bags



Complete compound feed for layers

NSK-1 - groats

The NSK-1 feedstuff is a complete compound feed for hens laying table eggs, which ensures excellent laying. The feed mixture is fed at will.

Nutritional value:

crude protein 16.2%, ME 11.3 MJ/kg

Packaging: bulk, BB bags, 35/1, 10/1

NSK-THERMIK - groats

The NSK Thermik feedstuff is a complete compound feed for hens that lay table eggs, which ensures excellent laying. The feed mixture is fed at will.

Nutritional value:

crude protein 16.2%, ME 11.3 MJ/kg

Special feature:

the feedstuff is specially thermally treated, which ensures a

high hygienic safety and nutritional value.

Packaging: bulk, BB bags

NSK-2 - flour

The NSK-2 compound feed is a complete compound feed for hens that lay table eggs, fed after the 35th week of laying and ensures excellent production results. The feed mixture is fed at will.

Nutritional value:

crude protein 16%, ME 11.2 MJ/kg

Special feature:

the feedstuff contains limestone from crushed seashells, which improves eggshell quality in older hens.

Packaging: bulk



Super concentrate for layers

NSK-30 SUPER - flour

The NSK-30-SUPER feedstuff is a complementary compound feed intended for the production of a complete compound feed for layers (e.g. NSK).

Nutritional value:

crude protein 30%, crude fibre 3.5%, crude fats 2.8%, crude ash 32%, calcium 10%.

PREPARATION INSTRUCTIONS:

mix one part concentrate and two parts ground corn (can also be a mixture of grains: corn, wheat, barley). *Example:* Mix 25 kg of the concentrate with 50 kg of ground corn or a mixture of grains. The feedstuff prepared in this way satisfies all the nutritional needs of layers.

Packaging: BB bags, 30/1, 10/1

Mineral vitamin mix for layers

MVD ZA KOKOŠI NESNICE (MVD FOR LAYERS)

Mineral compound feed for layers. MVD FOR LAYERS covers all nutritional needs of layers in terms of vitamins and minerals.

INSTRUCTIONS FOR USE:

To prepare a complete compound feed, mix 64% corn, 26% soybean meal and a maximum of 10% MVD FOR LAYERS. The compound feed thus prepared is fed at will.

Nutritional value:

calcium 36%, phosphorus 1.8%, sodium 1.7%, lysine 0%, methionine 1.1%.

Packaging: 5/1



Complete compound feed for broilers

BRO-RESTARTER - groats

BRO-PRESTARTER is a perfect compound feed for a good start of fattening in the first week of age of the broilers. The compound feed should be available to the animals.

Nutritional value:

crude protein 23%, ME 12.25 MJ/kg

Packaging: 30/1,10/1

BRO-STARTER - groats

The feedstuff is intended for the fattening of chicks from 1 to 12 days of age. The compound feed should always be available to the animals. A natural yellow dye is added to the feedstuff, which improves the colour of the skin.

Nutritional value:

crude protein 21%, ME 12.2 MJ/kg

Special feature:

the feedstuff contains a coccidiostat, so it should not be fed for the last 5 days before slaughter.

Packaging: bulk, BB bags, 30/1, 10/1

BRO-FINISHER - pellets

The feedstuff is intended for feeding chicks from the 13th day of age up to 5 days before the end of fattening. The compound feed should always be available to the animals. A natural yellow dye is added to the feedstuff, which improves the colour of the skin.

Nutritional value:

crude protein 19%, ME 12.9 MJ/kg

Special feature:

the feedstuff contains a coccidiostat, so it should not be fed for the last 5 days before slaughter.

Packaging: bulk, BB bags, 30/1, 10/1

BRO-FINIŠER K - pellets

The BRO-FINIŠER-K feedstuff is a perfect compound feed for fattening broilers for the last 5 days before slaughter. The compound feed should always be available to the animals. A natural yellow dye is added to the feedstuff, which improves the colour of the skin.

Nutritional value:

crude protein 17.8%, ME 12.8 MJ/kg

Packaging: bulk, BB bags, 30/1

Broiler super concentrates

BRO-40 SUPER - flour

The BRO-40-SUPER feedstuff is a complementary compound feed mixed with corn or other grains to prepare a complete feed for fattening broilers. A natural yellow dye is added to the feedstuff, which improves the colour of the skin.

Nutritional value:

crude protein 40%, crude fibre 4.2%, crude fats 3.7%, crude ash 13%.

INSTRUCTIONS FOR USE:

Preparation of the BRO-STARTER compound feed for broilers up to 12 days of age: corn 62%, BRO-40-SUPER 38%. Preparation of the BRO-FINIŠER compound feed for broilers up to 5 days before slaughter: corn 68%, BRO-40-SUPER 32%.

Special feature:

the feedstuff contains a coccidiostat, therefore the complete feedstuff should not be fed for the last 5 days before slaughter.

Packaging: BB bags, 30/1



Complete compound feed for turkeys

PUR-STARTER - pellets

The PUR-STARTER compound feed is intended for fattening young turkeys up to 4 weeks of age. The feedstuff should always be available to the animals.

Nutritional value:

crude protein 27%, ME 11.5 MJ/kg

Special feature:

the feedstuff contains a coccidiostat, so it should not be fed for the last 5 days before slaughter.

Packaging: bulk, 30/1

PUR-GROVER - pellets

The PUR-GROVER compound feed is intended for turkeys from 5 to 7 weeks of age. The feedstuff should always be available to the animals.

Nutritional value:

crude protein 25.8%, ME 11.9 MJ/kg

Special feature:

the feedstuff contains a coccidiostat, so it should not be fed for the last 5 days before slaughter.

Packaging: bulk, 30/1

PUR-FINIŠER - pellets

The PUR-FINIŠER compound feed is intended for turkeys from 8 to 11 weeks of age. The feedstuff should always be available to the animals.

Nutritional value:

crude protein 23%, ME 12.1 MJ/kg

Special feature:

the feedstuff contains a coccidiostat, so it should not be fed for the last 5 days before slaughter.

Packaging: bulk, BB bags, 30/1

PUR-FINIŠER K - pellets

The PUR-FINIŠER-K feedstuff is a complete compound feed for feeding turkeys from 12 weeks of age onwards. The compound feed should always be available to the animals.

Nutritional value:

crude protein 18%, ME 12.8 MJ/kg

Special feature:

the feedstuff contains a coccidiostat, so it should not be fed for the last 5 days before slaughter.

Packaging: bulk, BB bags

